



PRICE LIST

PARQUET & ACCESSORIES

**FLOORS
INDIVIDUAL
LIKE YOU.**

2026
collection



A European quality product with ready-to-use oiled surfaces or Easy Care sealing. Manufactured from 100% European raw materials to ensure the highest standards. Enjoy first-class craftsmanship combined with easy-care benefits.



A trend-driven brand by HAFRO Premium Wooden Floors. Creative, individual and unique surfaces made from European raw materials (oak). Produced in China in compliance with European quality standards and EU regulations.


INFINITY VINYL

HAFRO Infinity Vinyl design floors are engineered to meet the demands of modern living, offering durability, resilience and long-lasting performance.

BRUSHED	04
SCRAPED	14
EASY CARE	20
RECLAIMED WOOD	24
CHEVRON	28
HERRINGBONE	29
SMOOTHED	32
DRY AGE	34
CHOPPED	38
ANTIQUE	40
INFINITY VINYL	44
CARE	50
STAIR	52
POS & ACCESSORIES	56
SKIRTING BOARDS	58



FOR THE INDICATED PRODUCTS, DELIVERY TIME ON REQUEST.



BRUSHED

CLASSY AND CLEAR

The brushed floors with attention to the grown naturalness, growth rings, grain and colour shades



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.



3S-FULLPLANK OAK LOSER



3S-FULLPLANK OAK SELECT | WHITE




3S-FULLPLANK SMOKED OAK GRAPHITE

EXPLANATION OF REPRESENTATION | LEGEND

WOOD TYPE NAME

SURFACE



SKIRTING BOARD

SB 21

PRICE

DIMENSION

Packing unit per package & pallet



FURTHER INFORMATION



- FIRE PROTECTION CERTIFIED
- DELIVERY TIME ON REQUEST
- STAIRS PRICE RANGE | S52-S53
- CARELEVEL | S50-S51

BRUSHED 145

2-Ply Fullplank - for fully glueing

T/G beveled / Spruce core / up to 2 boards of system length permitted

11 mm with approx. 3,6 mm Top layer



OAK NATURAL

READY TO USE OXIDATIVE NATURAL OILED



SB 21
1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

OAK NATURAL

READY TO USE OXIDATIVE WHITE OILED



SB 17
1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

OAK NATURAL

READY TO USE OXIDATIVE STONE OILED



SB 27
1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

OAK COUNTRY

READY TO USE OXIDATIVE NATURAL OILED



SB 21
1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

OAK COUNTRY

READY TO USE OXIDATIVE WHITE OILED



SB 17
1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

OAK COUNTRY

READY TO USE OXIDATIVE STONE OILED



SB 27
1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

BRUSHED 150

2-Ply Fullplank - for fully glueing


T/G beveled / Blywood core / up to 2 boards of system length permitted

10 mm with approx. 3 mm Top layer



OAK SONNBERG

OXIDATIVE NATURAL OILED



SB 19
1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 92,48 m²

OAK ZUGSPITZE


OXIDATIVE WHITE OILED



SB 24
1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 92,48 m²

SMOKED OAK KULM


OXIDATIVE NATURAL OILED



SB 40
1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 154,14 m²

OAK TRAUNSTEIN

SMOKED | OXIDATIVE WHITE OILED



SB 62
1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 92,48 m²

OAK SILVRETTA*

SMOKED | OXIDATIVE WHITE OILED



SB 67
1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 154,14 m²

OAK NASSFELD RAW WOOD LOOK*

OXIDATIVE INVISIBLE OILED



SB 26
1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 92,48 m²



DETAIL STRUCTURE BRUSHED

PRODUCTS MARKED WITH * ARE STRUCTURE BRUSHED

BRUSHED 182

3-Ply Fullplank

5G-C Dropdown beveled / Spruce core and fixed lengths

13,3 mm with approx. 3 mm Top layer | 14 mm with approx. 3,6 mm Top layer



OAK SELECT

READY TO USE OXIDATIVE NATURAL OILED



SB 21
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK SELECT

READY TO USE OXIDATIVE WHITE OILED



SB 17
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK NATURAL-KNOTTY

READY TO USE OXIDATIVE NATURAL OILED



SB 21
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK COMPAKT

READY TO USE OXIDATIVE NATURAL OILED



SB 21
2200 X 182 X 13,3 MM
Pack: 3,604 m² | Pallet: 144,16 m²

OAK COMPAKT

READY TO USE OXIDATIVE WHITE OILED



SB 17
2200 X 182 X 13,3 MM
Pack: 3,604 m² | Pallet: 144,16 m²

OAK COMPAKT

READY TO USE OXIDATIVE STONE OILED



SB 27
2200 X 182 X 13,3 MM
Pack: 3,604 m² | Pallet: 144,16 m²

OAK NATURAL-KNOTTY

READY TO USE OXIDATIVE WHITE OILED



SB 17
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK NATURAL-KNOTTY


READY TO USE OXIDATIVE STONE OILED



SB 27
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK KNOTTY +

READY TO USE OXIDATIVE NATURAL OILED



SB 21
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK KNOTTY +

READY TO USE OXIDATIVE WHITE OILED



SB 17
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK COUNTRY

READY TO USE OXIDATIVE NATURAL OILED



SB 21
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK COUNTRY

READY TO USE OXIDATIVE WHITE OILED



SB 17
2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²



3S-FULLPLANK OAK SELECT NATURAL

BRUSHED 190

3-Ply Fullplank

Dropdown beveled / Solid wood construction / up to 2 boards of system length permitted

14 mm with approx. 3 mm Top layer | 15 mm with approx. 3,6 mm Top layer



OAK GASTEIN

OXIDATIVE NATURAL OILED



SB 21
1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK SÖLDEN

OXIDATIVE WHITE OILED



SB 24
1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK BREGENZ


SMOKED | OXIDATIVE NATURAL OILED



SB 04
1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK OLYMP


SMOKED | OXIDATIVE WHITE OILED



SB 07
1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK BERNSTEIN


CARBONIZED | OXIDATIVE INVISIBLE OILED



SB 04
1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

ELM USA GERLOS


OXIDATIVE NATURAL OILED



SB 47
1860 X 189 X 15 MM
Pack: 2,812 m² | Pallet: 112,48 m²

SMOKED OAK BARRIQUE


OXIDATIVE NATURAL OILED



SB 41
1900 X 189 X 15 MM
Pack: 2,873 m² | Pallet: 114,912 m²

SMOKED OAK GRAPHITE

OXIDATIVE WHITE OILED



SB 68
1900 X 189 X 15 MM
Pack: 2,873 m² | Pallet: 114,912 m²

OAK ALPIN RAW WOOD LOOK

OXIDATIVE INVISIBLE OILED



SB 58
1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK ANNABERG


OXIDATIVE INVISIBLE OILED



SB 26
1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

LARCH KNOTTY

OXIDATIVE NATURAL OILED



SB 38
1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

LARCH KNOTTY


OXIDATIVE WHITE OILED



SB 39
1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK LOSER

OXIDATIVE NATURAL OILED



SB 19
1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK SCHNEEBERG

OXIDATIVE WHITE OILED



SB 24
1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK VESUV

SMOKED | OXIDATIVE NATURAL OILED



SB 04
1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

A STAIRS PRICE RANGE | S52-S53
T CARE LEVEL | S50-S51
 DELIVERY TIME ON REQUEST

BRUSHED 200 | 240

3-Ply Fullplank & Wide Plank - fully glueing recommended

T/G beveled / Spruce core / Lengths depending on raw material

14 mm with approx. 4 mm Top layer



BRUSHED 260

3-Ply Wide Plank - fully glueing recommended

Dropdown beveled / Solid wood construction / up to 1 board of system length permitted

15 mm with approx. 3,6 mm Top layer



OAK NATURAL 200

READY TO USE OXIDATIVE NATURAL OILED

DISCOVER MORE

SB 21

€ 116,50

1800 - 2200 X 200 X 14 MM
Pack: 2,052 / 2,28 / 2,508 m²
Pallet: 97,20 / 108,00 / 118,8 m²

OAK NATURAL 240

READY TO USE OXIDATIVE NATURAL OILED

DISCOVER MORE

SB 21

€ 121,50

1800 - 2400 X 240 X 14 MM
Pack: 2,592 / 2,88 / 3,168 / 3,456 m²
Pallet: 93,312 / 103,68 / 114,04 / 124,416 m²

OAK NATURAL 200

READY TO USE OXIDATIVE SATIN WHITE OILED

DISCOVER MORE

SB 27

€ 117,50

1800 - 2200 X 200 X 14 MM
Pack: 2,052 / 2,28 / 2,508 m²
Pallet: 97,20 / 108,00 / 129,60 m²

OAK KNOTTY

OXIDATIVE NATURAL OILED

DISCOVER MORE

SB 21

NEW!

€ 87,00

2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 137,28 m²

OAK KNOTTY

OXIDATIVE WHITE OILED

DISCOVER MORE

SB 30

NEW!

€ 88,00

2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 137,28 m²

OAK COUNTRY

OXIDATIVE NATURAL OILED

DISCOVER MORE

SB 21

€ 77,00

2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK NATURAL 240

READY TO USE OXIDATIVE SATIN WHITE OILED

DISCOVER MORE

SB 27

€ 122,50

1800 - 2400 X 240 X 14 MM
Pack: 2,592 / 2,88 / 3,456 m²
Pallet: 93,312 / 103,68 / 124,416 m²

OAK COUNTRY 200

READY TO USE OXIDATIVE NATURAL OILED

DISCOVER MORE

SB 21

€ 89,50

1800 - 2200 X 200 X 14 MM
Pack: 2,052 / 2,28 / 2,508 m²
Pallet: 97,20 / 108,00 / 129,60 m²

OAK COUNTRY 240

READY TO USE OXIDATIVE NATURAL OILED

DISCOVER MORE

SB 21

€ 98,50

1800 - 2400 X 240 X 14 MM
Pack: 2,592 / 2,88 / 3,456 m²
Pallet: 93,312 / 103,68 / 124,416 m²

OAK COUNTRY RAW WOOD LOOK

OXIDATIVE INVISIBLE OILED

DISCOVER MORE

SB 58

€ 78,00

2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK COUNTRY

OXIDATIVE WHITE OILED

DISCOVER MORE

SB 30

€ 78,00

2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK COUNTRY

SMOKED | OXIDATIVE NATURAL OILED

DISCOVER MORE

SB 12

€ 82,50

2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK COUNTRY 200

READY TO USE OXIDATIVE SATIN WHITE OILED

DISCOVER MORE

SB 27

€ 90,50

1800 - 2200 X 200 X 14 MM
Pack: 2,052 / 2,28 / 2,508 m²
Pallet: 97,20 / 108,00 / 129,60 m²

OAK COUNTRY 240

READY TO USE OXIDATIVE SATIN WHITE OILED

DISCOVER MORE

SB 27

€ 99,50

1800 - 2400 X 240 X 14 MM
Pack: 2,592 / 2,88 / 3,456 m²
Pallet: 93,312 / 103,68 / 124,416 m²

OAK COUNTRY

SMOKED | OXIDATIVE WHITE OILED

DISCOVER MORE

SB 07

€ 83,50

2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

- STAIRS PRICE RANGE | S52-S53
- CARE LEVEL | S50-S51
- DELIVERY TIME ON REQUEST



SCRAPED

BAREFOOT AMBIENCE

Hand-scraped floorboards with high-low effect of light and shadow



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.



A velvety, refined surface – soft to the touch, yet exceptionally resilient. Completely free from planing marks.



3S-WIDE PLANK SMOKED OAK NATURAL-KNOTTY



3S-FULLPLANK OAK SÖLL RAW WOOD LOOK




3S-FULLPLANK OAK MOUNTAIN

EXPLANATION OF REPRESENTATION | LEGEND

WOOD TYPE NAME

SURFACE



SKIRTING BOARD

SB 21

PRICE

DIMENSION

Packing unit per package & pallet



FURTHER INFORMATION



WEB VIEW

FIRE PROTECTION CERTIFIED

DELIVERY TIME ON REQUEST

STAIRS PRICE RANGE | S52-S53

CARELEVEL | S50-S51

SCRAPED 190

3-Ply Fullplank

Dropdown beveled / Solid wood construction / up to 2 boards of system length permitted

15 mm with approx. 3,6 mm Top layer | 14 mm with approx. 3 mm Top layer



OAK MONTAFON

OXIDATIVE NATURAL OILED



SB 19

€ 67,00

1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK MOUNTAIN

OXIDATIVE NATURAL OILED



SB 21

€ 72,50

1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK DACHSTEIN

SMOKED | OXIDATIVE WHITE OILED



SB 06

€ 77,00

1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

WALNUT USA MOUNT WHISTLER

OXIDATIVE NATURAL OILED



SB 49

€ 141,00

1900 X 189 X 15 MM
Pack: 2,873 m² | Pallet: 114,92 m²

OAK ARLBERG RAW WOOD LOOK

SMOKED | OXIDATIVE INVISIBLE OILED



SB 05

€ 78,00

1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK PITZTAL RAW WOOD LOOK

OXIDATIVE INVISIBLE OILED



SB 58

€ 75,00

1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK ZILLERTAL

OXIDATIVE WHITE OILED




SB 30

€ 68,00

1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK DOLOMIT

SMOKED | OXIDATIVE NATURAL OILED




SB 04

€ 77,00

1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK HALLSTATT

SMOKED | OXIDATIVE NATURAL OILED



SB 12

€ 82,50

1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK SÖLL RAW WOOD LOOK

OXIDATIVE INVISIBLE OILED



SB 26

€ 75,00

1900 X 190 X 14 MM
Pack: 2,888 m² | Pallet: 115,52 m²



3S-FULLPLANK OAK DOLOMIT

SCRAPED 260

3-Ply Wide Plank - fully glueing recommended

Dropdown beveled / Solid wood construction / up to 1 board of system length permitted

15 mm with approx. 3,6 mm Top layer



SMOKED OAK NATURAL-KNOTTY

OXIDATIVE NATURAL OILED



SB 45
2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK COUNTRY

OXIDATIVE NATURAL OILED



SB 21
2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK COUNTRY

OXIDATIVE WHITE OILED



SB 30
2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK COUNTRY RAW WOOD LOOK

OXIDATIVE INVISIBLE OILED



SB 58
2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK COUNTRY


SMOKED | OXIDATIVE NATURAL OILED



SB 12
2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

OAK HALLSTATT

SMOKED | OXIDATIVE NATURAL OILED



SB 12
2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²



A VELVETY, REFINED SURFACE -
SOFT TO THE TOUCH, YET EXCEP-
TIONALLY RESILIENT. COMPLETELY
FREE FROM PLANING MARKS.



3S-WIDE PLANK OAK COUNTRY RAW WOOD LOOK



EASY CARE

SPECIALLY SENSITIVE

7-coats Nano supermatt lacquer protecting the polished surface for an especially hard-wearing surface



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.

EASY CARE 145

2-Ply Fullplank - for fully glueing


T/G beveled / Spruce core / up to 2 boards of system length permitted

11 mm with approx. 3,6 mm Top layer



OAK NATURAL

EASY CARE





DISCOVER MORE

SB 21

€ 81,50







1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

OAK COUNTRY




EASY CARE

DISCOVER MORE

SB 21

€ 67,50

1445 X 145 X 11 MM
Pack: 2,095 m² | Pallet: 104,75 m²

EASY CARE 182

3-Ply Shipdeck (3-Strip)



5G-C Dropdown / Qualität mit Conifer wood construction

14 mm with approx. 3,6 mm Top layer | 13,3 mm with approx. 3 mm Top layer



OAK NATURAL




EASY CARE

DISCOVER MORE

SB 21


€ 55,50

2190 X 182 X 14 MM
Pack: 3,189 m² | Pallet: 127,56 m²

OAK NATURAL


READY TO USE NATURAL GEÖLT




DISCOVER MORE

SB 21


€ 56,50


2190 X 182 X 14 MM
Pack: 3,189 m² | Pallet: 127,56 m²

OAK CLASSIC

EASY CARE





DISCOVER MORE

SB 21

€ 43,00





2190 X 182 X 13,3 MM
Pack: 3,189 m² | Pallet: 127,56 m²

 STAIRS PRICE RANGE | S52-S53

 CARE LEVEL | S50-S51

 DELIVERY TIME ON REQUEST

EASY CARE 182

3-Ply Fullplank

5G-C Dropdown beveled / Conifer wood construction

13,3 mm with approx. 3 mm Top layer | 14 mm with approx. 3,6 mm Top layer



OAK NATURAL-KNOTTY

EASY CARE



2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK KNOTTY +

EASY CARE



2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK COUNTRY


EASY CARE



2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK COMPAKT

EASY CARE



2200 X 182 X 13,3 MM
Pack: 3,604 m² | Pallet: 144,16 m²



3S-FULLPLANK OAK COUNTRY

EASY CARE 182 PURE PROTECT

3-Ply Fullplank

5G-C Dropdown beveled / Conifer wood construction

14 mm with approx. 3,6 mm Top layer



OAK CASHMERE COUNTRY

EASY CARE | PURE PROTECT



2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

OAK GREY COUNTRY

EASY CARE | PURE PROTECT



2200 X 182 X 14 MM
Pack: 3,203 m² | Pallet: 128,12 m²

In addition to the many benefits of carefree sealing, PURE PROTECT offers the look of a naturally oiled floor that requires no special care.



RECLAIMED WOOD

ELM RECLAIMED WOOD

Inspiration & Comfort



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.

RECLAIMED WOOD

3-Ply Reclaimed wood

T/G beveled

20 mm with approx. 8 mm Reclaimed wood Top layer | 6 mm Oak Middle Layer | 6 mm Oak Back Veneer

RECLAIMED WOOD PLANK

ELM | 1. PATINA



DISCOVER MORE



€ 295,00

1650 X 120 - 220 X 20 MM
Pack: 2,534 m² | Pallet: 101,36 m²

RECLAIMED WOOD BOARD WIENER KREUZ

ELM | 1. PATINA



DISCOVER MORE



€ 325,00

600 X 600 X 20 MM
Pack: 2,16 m²

RECLAIMED WOOD BOARD VERSAILLES

ELM | 1. PATINA



DISCOVER MORE




€ 325,00

1000 X 1000 X 20 MM
Pack: 2 m²

RECLAIMED WOOD HERRINGBONE 90°

ELM | 1. PATINA



DISCOVER MORE



€ 315,00

530 X 120 X 20 MM



HERRINGBONE & CHEVRON

A CLASSIC IN NEW STYLE

A must have, classic - but in a new style, hand-finished, hand-scraped and brushed



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.



3S-HERRINGBONE OAK PRINCESS




3S-HERRINGBONE OAK LOUVRE

EXPLANATION OF REPRESENTATION | LEGEND

WOOD TYPE NAME

SURFACE



SKIRTING BOARD

SB 21

PRICE

DIMENSION
Packing unit per package & pallet



FURTHER INFORMATION



- FIRE PROTECTION CERTIFIED
- DELIVERY TIME ON REQUEST
- STAIRS PRICE RANGE | S52-S53
- CARELEVEL | S50-S51

CHEVRON 45°

3-Ply Single Bars - for fully glueing

T/G beveled / Conifer wood construction

14 mm with approx. 4 mm Top layer



OAK NATURAL

READY TO USE OXIDATIVE NATURAL OILED



610 X 90 X 14 MM
Pack: 0,88 m² Pallet: 55,314 m²

OAK NATURAL

READY TO USE OXIDATIVE SATIN WHITE OILED



610 X 90 X 14 MM
Pack: 0,88 m² Pallet: 55,314 m²

FREEZE CHEVRON & HERRINGBONE

OAK NATURAL

1800 - 2200 X 200 X 14 MM



OAK NATURAL SATIN WHITE

1800 - 2200 X 200 X 14 MM



OAK COUNTRY

1800 - 2200 X 200 X 14 MM



OAK COUNTRY SATIN WHITE

1800 - 2200 X 200 X 14 MM



HERRINGBONE 90°

3-Ply Single Bars - for fully glueing


T/G beveled / Solid wood construction

14 mm with approx. 4 mm Top layer



OAK NATURAL

READY TO USE OXIDATIVE NATURAL OILED



800 X 140 X 14 MM
Pack: 0,896 m² Pallet: 112,90 m²

OAK NATURAL

READY TO USE OXIDATIVE SATIN WHITE OILED



800 X 140 X 14 MM
Pack: 0,896 m² Pallet: 112,90 m²

OAK COUNTRY

READY TO USE OXIDATIVE NATURAL OILED



800 X 140 X 14 MM
Pack: 0,896 m² Pallet: 112,90 m²

OAK COUNTRY

READY TO USE OXIDATIVE SATIN WHITE OILED



800 X 140 X 14 MM
Pack: 0,896 m² Pallet: 112,90 m²



3S-HERRINGBONE 90° | OAK NATURAL SATIN WHITE

HERRINGBONE 90°

3-Ply Single Bars - for fully glueing

T/G beveled / Solid wood construction

15 mm with approx. 3,6 mm Top Layer



OAK DUKE

OXIDATIVE NATURAL OILED



600 X 150 X 15 MM
Pack: 0,72 m² | Pallet: 120,96 m²

OAK PRINCESS

OXIDATIV PEARL WHITE OILED



600 X 150 X 15 MM
Pack: 0,72 m² | Pallet: 120,96 m²

OAK WINDSOR

OXIDATIVE NATURAL OILED



610 X 122 X 15 MM
Pack: 0,893 m² | Pallet: 75,015 m²

OAK NOBLESSE

OXIDATIVE SATIN WHITE OILED



610 X 122 X 15 MM
Pack: 0,893 m² | Pallet: 75,015 m²

SMOKED OAK LOUVRE


OXIDATIVE NATURAL OILED



600 X 150 X 15 MM
Pack: 0,72 m² | Pallet: 120,96 m²

OAK FEUERKOGEL

READY TO USE OXIDATIVE NATURAL OILED



592 X 148 X 15 MM
Pack: 1,402 m² | Pallet: 78,512 m²

OAK SCHWARZKOGEL

READY TO USE OXIDATIVE NATURAL OILED



592 X 148 X 15 MM
Pack: 1,402 m² | Pallet: 78,512 m²

OAK BERNSTEIN

CARBONIZED | OXIDATIVE INVISIBLE OILED



610 X 122 X 15 MM
Pack: 0,893 m² | Pallet: 75,015 m²



MATCHING FREEZE
SITE 42 (FEUERKOGEL / SCHWARZKOGEL)
SITE 11 (BERNSTEIN)



3S-HERRINGBONE 90° | OAK BERNSTEIN



SMOOTHED

SMOOTH IS BEAUTIFUL

Smooth is beautiful! A velvet haptic with a very special surface



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.

SMOOTHED 190


3-Ply Fullplank

Dropdown beveled / up to 2 boards of system length permitted / Solid wood construction

15 mm with approx. 3,6 mm Top Layer

WALNUT USA MOUNT COOK

OXIDATIVE NATURAL OILED



1900 X 189 X 15 MM
Pack: 2,873 m² | Pallet: 114,920 m²

A STAIRS PRICE RANGE | S52-S53
T CARE LEVEL | S50-S51
🚚 DELIVERY TIME ON REQUEST



3S-FULLPLANK WALNUT USA MOUNT COOK



DRY AGE

JUST FEEL ...

Hand-scraped floorboards with 3D-knots.
... just feel it!



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.



3S-WIDE PLANK OAK DRY AGE SMOKED




3S-FULLPLANK OAK HOAGASCHT

EXPLANATION OF REPRESENTATION | LEGEND

WOOD TYPE NAME

SURFACE



SKIRTING BOARD

SB 21

PRICE

DIMENSION

Packing unit per package & pallet

WEB VIEW



FURTHER INFORMATION



FIRE PROTECTION CERTIFIED

DELIVERY TIME ON REQUEST

STAIRS PRICE RANGE | S52-S53

CARELEVEL | S50-S51

DRY AGE 190 | 260

3-Ply Fullplank | Wide Plank

Dropdown beveled / up to 2 boards of system length permitted / Solid wood construction
15 mm with approx. 3,6 mm Top layer



OAK DRY AGE HOAGASCHT


SMOKED | OXIDATIVE INVISIBLE OILED



1900 X 190 X 15 MM
Pack: 2,888 m² | Pallet: 115,52 m²

OAK DRY AGE HOAGASCHT

SMOKED | OXIDATIVE INVISIBLE OILED



2200 X 260 X 15 MM
Pack: 3,432 m² | Pallet: 151 m²

DRY AGE 220


3-Ply Wide Plank - fully glueing recommended

Dropdown beveled / up to 2 boards of system length permitted / Solid wood construction
15 mm with approx. 3,6 mm Top layer



OAK DRY AGE SMOKED


SMOKED | OXIDATIVE NATURAL OILED



2200 X 220 X 15 MM
Pack: 2,904 m² | Pallet: 104,54 m²

OAK DRY AGE STONE WASHED

SMOKED | OXIDATIVE INVISIBLE OILED



2200 X 220 X 15 MM
Pack: 2,904 m² | Pallet: 104,54 m²



3S-FULLPLANK OAK DRY AGE HOAGASCHT



3S-WIDE PLANK OAK DRY AGE STONE WASHED



CHOPPED

THE CHARM OF LIFE

Story-telling with character and individuality - brushed and hand-chopped for a heavy used look



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request



Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.

CHOPPED 190 | 220

3-Ply Fullplank

Dropdown beveled / up to 1 board of system length permitted / partially suitable for bare feet / Solid wood construction

15 mm with approx. 3,6 mm Top layer



OAK AXEWOOD AROSA

SMOKED | OXIDATIVE NATURAL OILED



SB 25
1900 X 190 X 15 MM
Pack: 2,166 m² | Pallet: 108,30 m²

OAK CHAMONIX

SMOKED | READY TO USE OXIDATIVE NATURAL OILED



SB 25
1900 X 190 X 15 MM
Pack: 2,166 m² | Pallet: 108,30 m²

OAK CORTINA

SMOKED | READY TO USE OXIDATIVE BLACK OILED



SB 43
1900 X 190 X 15 MM
Pack: 2,166 m² | Pallet: 108,30 m²

OAK RECLAIMED WOOD GRAUBÜNDEN

AGED | GREY OILED



Custom Made
2200 X 220 X 15 MM
Pack: 2,904 m² | Pallet: 104,54 m²

CHOPPED 260

3-Ply Wide Plank - for fully glueing


T/G beveled / up to 1 board of system length permitted / nur bedingt barfußgeeignet / Solid wood construction

15 mm with approx. 3,6 mm Top layer



OAK CHATEAUX

SMOKED | READY TO USE OXIDATIVE NATURAL OILED



SB 28
2200 X 260 X 15 MM
Pack: 2,288 m² | Pallet: 91,52 m²



ANTIQUÉ

CHARACTER FLOORBOARDS WITH HISTORY

Antique smoked look in modern design



3S-FULLPLANK OAK FEUERKOGEL



Suitable for glued installation with low-temperature hot water underfloor heating systems (end-joint gluing recommended)



Full-surface bonding with HF MS 580. (end-joint gluing recommended)
For adhesive details see page 57.



Floating installation on Easy Fit underlay panels or Aqua Stop parquet underlays with vapor barrier (conditionally suitable for solid wood floors). For adhesive details see page 57.



For marked products, delivery times are available upon request




Fire classification:
C_{FL}-S1 = flame-retardant with very limited smoke development when fully bonded to a non-combustible substrate. Please refer to the catalog for the specific fire classification.

EXPLANATION OF REPRESENTATION | LEGEND

WOOD TYPE NAME

SURFACE



SKIRTING BOARD

SB 21

PRICE

DIMENSION

Packing unit per package & pallet

WEB VIEW



FURTHER INFORMATION



FIRE PROTECTION CERTIFIED

DELIVERY TIME ON REQUEST

STAIRS PRICE RANGE | S52-S53

CARELEVEL | S50-S51

ANTIQUÉ 150

2-Ply Fullplank - for fully gluing

T/G beveled / up to 2 boards of system length permitted / Solid wood construction

10 mm with approx. 3 mm Top layer



OAK EIGER RAW WOOD LOOK

OXIDATIVE INVISIBLE OILED



1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 92,48 m²

SMOKED OAK MATTERHORN

OXIDATIVE WHITE OILED



1860 X 148 X 10 MM
Pack: 2,202 m² | Pallet: 92,48 m²

ANTIQUÉ 190

3-Ply Fullplank

Dropdown beveled / up to 2 boards of system length permitted / Solid wood construction

15 mm with approx. 3,6 mm Top layer



OAK KITZSTEINHORN

READY TO USE OXIDATIVE INVISIBLE OILED



1900 X 190 X 15 MM
Pack: 2,166 m² | Pallet: 108,3 m²

OAK SCHWARZKOGEL


READY TO USE OXIDATIVE NATURAL OILED



1900 X 190 X 15 MM
Pack: 2,166 m² | Pallet: 108,3 m²

OAK FEUERKOGEL

READY TO USE OXIDATIVE NATURAL OILED



1900 X 190 X 15 MM
Pack: 2,166 m² | Pallet: 108,3 m²



3S-FULLPLANK OAK KITZSTEINHORN

INFINITY VINYL

KORK EDITION



Suitable for warm water - underfloor heating systems.



Fully glueing with HAFRO 2-K-Polyurethan Bodenadhesive. See page 57 for for adhesives.



Floating installation.



For the indicated products, delivery time on request.



Classification of fire behaviour:
 B_{FL-S1} = low flammability with low smoke development if fully adhered on a non-combustible base.
 Please pay attention to the classification of the fire behavior in the catalog.

KORK EDITION

- SEALING _____
- TOP LAYER _____
- DECOR LAYER _____
- RIGID UNDERLAY _____
- KORK IMPACT SOUND _____



100%
PHTHALAT
FREI

100% PHTHALAT FREE

All Hafro Infinity Vinyl products are certified according to a range of standards. It's also good to know that they contain only organic plasticizers and no phthalates, no formaldehyde, and no cadmium. Our vinyl is recyclable for a good reason.



RIGID x CORK CONSTRUCTION

All Infinity Vinyl design floors are equipped with a natural cork impact sound insulation, which significantly reduces footfall noise and ensures a pleasant room acoustics.

5G^{CLIC}

5G-C DROPDOWN CLIC

All Hafro Infinity Vinyl products (except DRY BACK) feature the unique Välinge 5G-C locking technology, allowing for easy installation by simply clicking the floor planks together. The 5G-C lock system is the most advanced in its class.



100% RECYCLEABLE

The overall construction of the Hafro Infinity Vinyl design floor is 100% recyclable due to its components.



EASY CARE

Hafro Infinity Vinyl products come with a 0.5 mm thick, factory-coated surface that requires no special post-treatment after installation. Freshly spilled liquids and dirt can be easily removed with a neutral cleaning agent. Strong solvents such as thinner or acetone must not be used. Easy care with a wet or dry „HAFRO 3000“ mop.



WARM UNDERFOOT

With a thickness of just 6.5 mm, Hafro Infinity Vinyl products are perfect for renovations.



WHISPER-QUIET

All HAFRO 6.5 mm Infinity Vinyl design floors are equipped with natural cork impact sound insulation, which reduces footfall noise and ensures a pleasant room acoustics. The overall construction is 100% recyclable due to its components.



DURABLE

The 0.5 mm thick surface of the Hafro Infinity Vinyl collection is treated with a specially reinforced coating, giving the floors exceptional resistance to wear, scratches, and water.



100% WATERPROOF

The entire Hafro Infinity Vinyl collection is 100% waterproof. This makes it suitable for any room, including wet areas. Tip: Ensure a dry subfloor to prevent mold formation.

INFINITY VINYL KORK EDITION

FLOORBOARD with wood look

Service class 34 | Top layer 0,55 mm | Emission class E1

5G-C Dropdown Clic with bevel

OAK NATURAL



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

OAK POLAR



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

OAK SMOKEY



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

OAK FIEMME



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

OAK STONE



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

HONEYOAK



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

OAK PURO




1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

EURO OAK KNOTTY



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

OAK TOSCANA



1220 X 181 X 6,5 MM
Pack: 2,21 m² | Pallet: 99,45 m²

INFINITY VINYL KORK EDITION

WIDE PLANK with Synchron wood look

Service class 34 | Top layer 0,55 mm | Emission class E1

5G-C Dropdown Clic with bevel

WIDE PLANK OAK KNOTTY RAW WOOD LOOK



1830 X 228 X 6,5 MM
Pack: 2,09 m² | Pallet: 108,68 m²

WIDE PLANK OAK COUNTRY



1830 X 228 X 6,5 MM
Pack: 2,09 m² | Pallet: 108,68 m²

WIDE PLANK OAK GRÖNLAND



1830 X 228 X 6,5 MM
Pack: 2,09 m² | Pallet: 108,68 m²

WIDE PLANK CORE OAK



1830 X 228 X 6,5 MM
Pack: 2,09 m² | Pallet: 108,68 m²

SYNCHRON

Often also marked EIR (embossed in register) - is a special surfacing embossing that perfectly mimics the grain of wood decors and provides an extremely authentic look through the use of glossy/matt components that can hardly be distinguished from the original material.



WIDE PLANK OAK GRÖNLAND


INFINITY VINYL KORK EDITION

PLATE with stone look

Service class 34 | Top layer 0,55 mm | Emission class E1


5G-C Dropdown Clic with bevel

ANTHRAZIT MATT



940 X 470 X 6,5 MM
Pack: 2,21 m² | Pallet: 101,66 m²

TRAVERTIN MATT




940 X 470 X 6,5 MM
Pack: 2,21 m² | Pallet: 101,66 m²

ZEMENT MATT




940 X 470 X 6,5 MM
Pack: 2,21 m² | Pallet: 101,66 m²

GRAPHIT MATT



940 X 470 X 6,5 MM
Pack: 2,21 m² | Pallet: 101,66 m²

GREYISH MATT



940 X 470 X 6,5 MM
Pack: 2,21 m² | Pallet: 101,66 m²



STONE LOOK ZEMENT MATT

SKIRTING BOARD


Only available in bundles | no returns possible

CUSTOM MADE:

Length of the skirtings according to the original plank length.
Delivery time approx. 3-5 weeks.

Plank: 1220 mm | 15 per bundle = 18,30 lfm
Wide plank: 1830 mm | 12 per bundle = 21,96 lfm
Plate: 940 mm | 18 per bundle = 16,92 lfm

CUBE: 2400 mm | 10 per bundle = 24,00 lfm



Product Name	Price per meter	Price per meter
INFINITY OAK NATURAL WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK POLAR WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK SMOKEY WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK FIEMME WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK STONE WATERPROOF	€ 7,90	€ 10,00
INFINITY HONEYOAK WATERPROOF	€ 7,90	€ 10,00
INFINITY EURO OAK KNOTTY / CORE OAK WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK TOSCANA WATERPROOF	€ 7,90	€ 10,00
INFINITY ANTHRAZIT WATERPROOF	€ 7,90	€ 10,00
INFINITY TRAVERTIN WATERPROOF	€ 7,90	€ 10,00
INFINITY ZEMENT WATERPROOF	€ 7,90	€ 10,00
INFINITY GRAPHIT WATERPROOF	€ 7,90	€ 10,00
INFINITY GREYISH WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK KNOTTY / PURO WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK COUNTRY WATERPROOF	€ 7,90	€ 10,00
INFINITY OAK GRÖNLAND WATERPROOF	€ 7,90	€ 10,00

Price per meter.

SKIRTING-BOARD-CLIPS INCL. SCREWS & DOWELS

30 Pcs. PER PACK € 17,90/pack

30 pieces for approx. 15 m / Custom Made: no clips possible

STEP ANGLE

Profile modern or classic


LENGTH	PRICE IN EUR/PCS.
WOOD LOOK	
1220 mm	71,50
1400* mm	83,50
1800** mm	110,00
WIDE PLANK	
1830 mm	110,00
STONE LOOK	
1400* mm	83,50
1800** mm	121,00

* alternating left/right extended
** on both sides extended

WALL COVERAGE

wood look | wide plank | stone look
Price per meter incl. material costs

€ 148,50/m



LED

CUT-OUT + LED STRIP WITH FROSTED GLASS COVER (WITHOUT LED STRIP)

€ 76,50/m

FRONT EDGE

wood look | wide plank | stone look

WIDTH	LENGTH	PRICE IN EUR/PCS.
40 mm	600 mm	26,00

CARE

Only available in packs / prices per piece

SCAN ME!



Here you can download the care levels directly from our homepage.

CARE LEVEL 1



WOOD FLOOR SOAP NATURAL

1,00l | 6Pcs./Box € 19,00/Stk
2,50l | 4Pcs./Box € 33,50/Stk

SUITABLE FOR CARE LEVEL 1 - 4



INTENSIVE CLEANER

1,00l | 6Pcs./Box € 27,00/Stk

SUITABLE FOR CARE LEVEL 1 - 4



WOCA CARE OIL WHITE

0,75l | 6Pcs./Box € 29,50/Stk
2,50l | 4Pcs./Box € 67,50/Stk

COV./LITR: 40 m²



WOOD FLOOR SOAP WHITE

1,00l | 6Pcs./Box € 20,00/Stk
2,50l | 4Pcs./Box € 34,50/Stk



WOCA CARE OIL NATURAL

0,75l | 6Pcs./Box € 26,00/Stk
2,50l | 4Pcs./Box € 52,00/Stk

COV./LITR: 40 m²



HAFRO READY MIXED WOOD FLOOR SOAP

Natural 2,50l | 4Pcs./Box € 29,50/Stk

SUITABLE FOR CARE LEVEL 1 - 4

CARE LEVEL 2



WISCHFIX

1,00l | 6Pcs./Box € 23,90/Stk



OSMO CARE OIL

1,00l | 4Pcs./Box € 56,00/Stk

COV./LITR: 40-60 m²



INTENSIVE CLEANER

1,00l | 6Pcs./Box € 27,00/Stk

SUITABLE FOR CARE LEVEL 1 - 4



WAX CARE

1,00l | 6Pcs./Box € 39,50/Stk

COV./LITR: 80-100 m²

CARE LEVEL 3



WOOD FLOOR SOAP WHITE

1,00l | 6Pcs./Box € 20,00/Stk
2,50l | 4Pcs./Box € 34,50/Stk



INTENSIVE CLEANER

1,00l | 6Pcs./Box € 27,00/Stk

SUITABLE FOR CARE LEVEL 1 - 4



RUBIO MONOCOAT CARE OIL

SATIN 0,50l | 6Pcs./Box € 77,50/Stk

COV./LITR: 80 - 100 m²

CARE LEVEL 4



WOCA CARE OIL INVISIBLE

0,75l | 6Pcs./Box € 27,50/Stk

COV./LITR: 40 m²



WOOD FLOOR SOAP NATURAL

1,00l | 6Pcs./Box € 19,00/Stk
2,50l | 4Pcs./Box € 33,50/Stk

SUITABLE FOR CARE LEVEL 1 - 4



INTENSIVE CLEANER

1,00l | 6Pcs./Box € 27,00/Stk

SUITABLE FOR CARE LEVEL 1 - 4



HAFRO READY MIXED WOOD FLOOR SOAP

Natural 2,50l | 4Pcs./Box € 29,50/Stk

SUITABLE FOR CARE LEVEL 1 - 4

CARE LEVEL 5



VINYL-, LAMINATE- & LACQUER CARE

Care 1,00l | 6 Pcs./Box

COV./LITR: 60 m²

€ 20,00/Stk

HAFRO INSIDER TIP

HAFRO WIPE MOPP 3000

incl. cotton cover

€ 50,00/Stk

Spare cotton cover

€ 15,50/Stk



RUBIO STAINS SET

€ 49,50/Stk

STAIRS PARQUET

Production time approx. 3 weeks

Here you can directly download the step order forms from our homepage.

SCAN ME!



STEP ANGLE

Price per meter incl. material costs



PROFILE MODERN



PROFILE CLASSIC

LED

CUT-OUT + LED STRIP WITH FROSTED GLASS COVER (WITHOUT LED STRIP)

Only possible with Profile Classic!

€ 71,50/lfm


(A)	€ 73,50
(B)	€ 85,00
(C)	€ 112,00

FRONT EDGE

Price per piece

FOR SIDE CLOSURE, THICKNESS APPROX. 4 MM


€ 25,50/pcs.



WALL COVERAGE

Price per meter incl. material costs

(A)	€ 169,00
(B)	€ 180,00
(C)	€ 192,00




LARGE FORMAT BOARD

Production time approx. 4-5 weeks

Price per m step incl. material costs

THE STEPS ARE CUT FROM THE LARGE DIMENSION PANEL AS DESCRIBED IN THE CUTTING PLAN



L-U shape staircase (staircase run): calculation basis is the length of step 1

STRAIGHT STAIRCASE

Price per m-step

(A)	€ 107,00
(B)	€ 141,00
(C)	€ 157,00

L-U SHAPE STAIRCASE

Price per m-step

(A)	€ 163,50
(B)	€ 175,00
(C)	€ 190,50

SURCHARGES	STRAIGHT STAIRCASE	L-/U-SHAPE STAIRCASE
SUPPORT PLATE 15 MM / 16 MM	EUR 29,50/m	EUR 35,50/m
TOP LAYER CONTINUOUS, NO NESTED LENGTHS	+30 %/m	
RISER (WHITE) 16 MM	EUR 45,50/m	

WE WOULD LIKE TO POINT OUT THAT STAIR ANGLES, LARGE DIMENSION PANELS, SET STAIRS, WALL COVERS AND FRONT EDGES ARE CUSTOM-MADE PRODUCTS AND ARE EXCLUDED FROM RETURN OR CANCELLATION.

HANDRAIL & WALL COVER

The secure hold

Modern architecture is characterised by individuality and homogeneity. From simple, classic wooden planks, we create a connection from the floor to the wall and the hand-rail. HAFRO creates your special covers and handrails from beautifully shaped floorboards. Because good design also has something to do with feeling.



Detail Handrail

Price per meter incl. front edge

(A)	€ 111,00
(B)	€ 123,00
(C)	€ 134,50

The handrail is available in the following sizes:

- 50 mm x 30 mm x max. 2400 mm
- 70 mm x 30 mm x max. 2400 mm

max. 1 nested length

SKIRTING BOARD CUSTOM MADE

Perfekt finish

The perfect finish, discreet or accentuated. Different shapes and sizes open up a wide range of design options and new dimensions. Skirting boards from HAFRO suitable for all wooden floors.


The Custom Made skirting boards are each made from the original parquet.



CUSTOM MADE ELEGANT

45 x 15 mm

CUSTOM MADE CUBE



Only available in bundles 10 Pcs. / Bund | Length of the skirting boards depending on the original floorboard length. Delivery time approx. 3-5 weeks.

HAFRO SHOP DESIGN FURNITURE

Presentation furniture Black



per Pcs.
€ 1.650,00

POS MONOBLOCK

12 sample boards
Sample boards dimension: 103,8 cm x 61 cm
with smooth-running Blumotion pull-outs
110 cm x 70 cm x 110 cm
(width x depth x height)



per Pcs.
€ 2.750,00

POS LONGBOARD

6 long floorboard sample
Sample boards Size: 214 cm x 50 cm
with smooth-running Blumotion pull-outs
220 cm x 56 cm x 65 cm
(width x depth x height)



pro Pcs.
€ 695,00

CHEVRON DISPLAY

8 architect sample
85 cm x 91,5 cm x 137 cm
(width x depth x height)



per Pcs.
€ 4.500,00

POS HAFRO ART BOARD

30 sample boards with luminous image
Sample boards dimension: 30 cm x 30 cm
With magnetic removal
215 cm x 250 cm x 15 cm
(width x height x depth)



per Pcs.
1 € 137,50
per Pcs.
2 € 165,00

POS BLACKBOX

- 1 HAFRO / MONTIFLOOR**
- 2 WIDE PLANK**



per Pcs.
€ 395,00

POS STAIR MODUL MODERN & CLASSIC

approx. 37 cm x 48 cm x 36 cm
(width x depth x height)



per Pcs.
€ 495,00

HAFRO MOBILE

12 Sample boards + Leaflet holder
50 cm x 60 cm x 70 cm
(width x depth x height)



per Pcs.
€ 395,00

VINYL DISPLAY

12 Original floorboards + Leaflet holder
98 cm x 2,5 cm x 195 cm
(width x depth x height)



per Pcs.
€ 55,00

POS SKIRTING BOARD BOARD

8 Original-Skirting board natural
60 cm x 1 cm x 106 cm
(width x thickness x height)

ACCESSORIES

PROTECTIVE FLEECE

HAFRO protective fleece, breathable, self-adhesive, waterproof, for protecting parquet flooring Roll: 50 m ² , width: 100 cm, approx. 2 mm	per m ²	€ 4,15
--	--------------------	---------------

PARQUET UNDERLAYS

Easy Fit - parquet laminate underlay board, thickness: 3 mm, dimensions: 1.2 m x 0.5 m - 90 m ² per pack	per m ²	€ 3,10
Aqua Stopp parquet underlay with vapour barrier for underfloor heating, thickness: 2 mm, 30 m ² per roll	per m ²	€ 4,15

ADHESIVE

HF MS 580 PARQUET ADHESIVE Single component, ready to use, elastic, sound-absorbing, water-free, suitable for underfloor heating. Required quantity/m ² : 700 - 1.100 g/m ² , application with notched trowel B9, 18 kg bucket	per kg	€ 10,00
HAFRO 2-component-Polyurethan adhesive especially for Infinity Vinyl with part A + part B (hardener no. 10) Component A = 6,90 kg Component B = 0,89 kg Required quantity: 600 g/m ² - Application with notched trowel A2, Bucket: 7,79 kg	per kg	€ 10,50
Notched trowel B9 (Nr. 5) - for Parquet adhesive	each	€ 11,00
Notched trowel B7 (Nr.3) - for Infinity Vinyl	each	€ 11,00

ACCESSORIES

FIDBOX V6 - with free APP Electronic measuring module for rear installing in the floorboard for permanent monitoring of temperature and humidity in the installed parquet Size: 95.5 x 52.5 x 7 mm - supplied ready for installation.	each	€ 195,00*
--	------	------------------

EXPAND JOINT PROFILE

HAFRO stainless steel thin-bed profile with silicone insert (black) Visible width: approx. 10 mm; H: approx. 15 mm per piece 2.5 metres	per lfm	€ 38,50
HAFRO stainless steel thin-bed profile with silicone insert (brown) Visible width: approx. 10 mm; H: approx. 15 mm per piece 2.5 metres	per lfm	€ 38,50

HAFRO SHOP ACCESSORIES


HAFRO Lookbook	each	€ 10,50*
Architect sample with ABS edge - dimensions: 46 x 66 cm (width x length)	each	€ 50,00*
Sample Custom Made	per m ²	€ 79,00*

* not eligible for discount

All products are not eligible for discount.

SKIRTING BOARD

Only available in bundles -10 Pcs. / Bundle | Price in EUR/m



Custom Made:

Only available in bundles 10 Pcs. / bundle
Length of the skirtings according to the original plank length.
Delivery time approx. 3-5 weeks.

		STANDARD 40 40 x 18 x 2200 mm	CUBE 40 40 x 16 x 2200 mm	CUBE 58 58 x 16 x 2200 mm	MASSIV CUBE 50 50 x 17 x 2400 mm
SB 04	OAK SMOKED NATURAL	8,00	9,00	10,00	15,50
SB 05	OAK ARLBERG		9,00	10,00	15,50
SB 06	OAK SMOKED WHITE WITH WHITE PORE		9,00		15,50
SB 07	OAK SMOKED NATURAL WITH WHITE PORE		9,00		15,50
SB 08	OAK SMOKED STONE WASHED		9,00		15,50
SB 10	OAK CASHMERE PURE PROTECT	7,00			
SB 12	OAK DOUBLE SMOKED NATURAL		9,00		
SB 17	OAK BRIGHT WHITE	7,00		10,00	15,50
SB 19	OAK LOSER NATURAL	7,00	8,00		
SB 21	OAK NATURAL	7,00	8,00	10,00	15,50
SB 24	OAK SCHNEEBERG WHITE	7,00			
SB 25	OAK SMOKED MEDIUM				15,50
SB 26	OAK WHITE		9,00	10,00	
SB 27	OAK STONE	8,00			15,50
SB 28	OAK CHATEAUX				15,50
SB 30	OAK WHITE WITH PORE	8,00			
SB 38	LARCH NATURAL				19,00
SB 39	LARCH WHITE				20,00
SB 40	SMOKED OAK BARRIQUE NATURAL	8,00		10,00	
SB 41	SMOKED OAK	8,00		10,00	
SB 43	SMOKED OAK NERO		9,00		
SB 45	SMOKED OAK DARK		9,00		
SB 47	ELM BRIGHT	8,00			
SB 49	WALNUT NATURAL	8,00		10,00	
SB 50	WHITE RAL 9010		9,00		12,50
SB 56	OAK FEUERKOGEL		9,00		
SB 58	OAK ALPIN		9,00		
SB 59	OAK PRINCESS		9,00		
SB 62	OAK TRAUNSTEIN	8,00			
SB 64	OAK GREY PURE PROTECT			10,00	
SB 67	OAK SILVRETTA		9,00		
SB 68	SMOKED OAK GRAPHITE		9,00		

SKIRTING-BOARD-CLIPS INCL. SCREWS & DOWELS

50 PCS. PER PACK

€ 29,95 per pack

50 pieces for approx. 25 m / Custom Made: no clips possible

General Terms and Conditions – as of April 2023

1. General: The following general terms and conditions shall apply to all offers, purchase agreements, delivery agreements, and other services. Deviating agreements or amendments, as well as telephone or verbal arrangements, shall only be binding if confirmed by us in writing. The purchaser's terms and conditions of purchase shall only become part of the contract if expressly confirmed by us in writing. Therefore, all business relationships shall be governed exclusively by our General Terms and Conditions in their current version. Insofar as the applicable price list or special offers of our company contain specific terms of sale, delivery, and payment, these shall take precedence over the following conditions, provided that explicit reference is made to such price lists and/or special offers at the time of contract conclusion. All other provisions listed below shall remain valid. We recommend that all declarations, notifications, etc. addressed to us be submitted in writing.

2. Offers / Orders All offers are subject to change and non-binding. Cost estimates are non-binding. The costs for preparing a cost estimate shall be charged to the customer. We accept telephone orders at the customer's risk. Orders shall become binding upon receipt of our order confirmation or delivery note. Verbal side agreements shall only be legally valid if confirmed in writing. Objections to confirmations must be submitted in writing no later than one week after receipt. Confirmed prices shall only apply if the ordered quantity is accepted in full. Sales prices shall only be considered fixed if explicitly confirmed by us in writing as fixed prices; otherwise, the prices valid on the day of delivery according to our price list shall apply.

3. Delivery / Performance: Delivery shall be made at the risk and expense of the purchaser. The place of performance (place of fulfillment) shall be the place of dispatch, even in the case of delivery "carriage paid to destination". The purchaser shall be responsible for accepting and securing the goods at the place of delivery. If the purchaser fails to fulfill this obligation, or fails to do so in a timely manner, we shall be entitled to unload the goods at that location. The purchaser must personally accept the goods and check them for proper condition, correct quantity, and any transport damage – see section "Transfer of Risk". Delivery periods are subject to correct and timely delivery by our suppliers. In the case of direct shipment from our supplier's warehouse (drop shipment), we reserve the right to adjust delivery dates in accordance with their stock situation. Provided that it is not excluded by the nature of the order or unreasonable for the customer, we shall be entitled to make partial deliveries. In the event of a change to the delivery date or the necessity of a partial delivery, the purchaser shall be informed immediately upon becoming aware of such circumstances. Compliance with delivery deadlines is subject to the purchaser fulfilling all contractual obligations due up to that point. Strikes, unforeseen events, official measures, transport disruptions, force majeure, etc. shall release us from our obligation to deliver for the duration of their impact or, in the event of impossibility, entirely, and shall extend delivery periods accordingly. The aforementioned circumstances shall also extend delivery periods or release us from delivery obligations if they occur at our suppliers. Delivery dates are non-binding. Claims for damages due to delayed delivery are excluded.

4. Shipping Costs: We reserve the right to determine the method and route of shipment. In the case of delivery by rail, postal service, or freight carrier, the purchaser shall bear the shipping costs from the place of performance, unless otherwise agreed. If delivery "carriage paid to destination" is agreed, additional freight charges shall be borne by the purchaser. For deliveries within Austria, shipment is free of charge (unloaded) for net goods values of EUR 950.00 or more (excluding VAT). For orders below this amount, a small quantity surcharge of EUR 49.00 shall be charged. Deliveries to Germany are free of charge (unloaded) for net goods values of EUR 2,000.00 or more. For orders below this amount, a small quantity surcharge of EUR 95.00 shall be charged. For deliveries of three pallets or more with tail lift service, an additional charge of EUR 150.00 shall apply. Deliveries to South Tyrol are free of charge (unloaded) for net goods values of EUR 2,000.00 or more. For orders below this amount, a small quantity surcharge of EUR 95.00 shall be charged. Deliveries to Switzerland and Italy (excluding South Tyrol) are ex works.

5. Transfer of Risk: The risk shall pass to the purchaser at the latest upon handover of the goods to the carrier or any other party entrusted with shipment, even if the supplier has assumed the shipping costs. If dispatch is delayed for reasons not attributable to the supplier, the risk shall pass to the purchaser upon notification of readiness for shipment. The customer is obliged to inspect the goods upon receipt for correct quantity and any transport damage. Obvious transport damage and shortages must be noted immediately upon delivery on the delivery note or consignment note of the transport company and must be confirmed in writing by the delivery agent. The license plate of the transport vehicle and the name of the driver must be included in this note. Failure to comply with this inspection obligation shall result in the loss of any claims for missing or replacement goods in the case of unverified shortages or transport damage. Any notes made on the delivery or consignment note must be reported to us in writing within five working days.

6. Notice of Defects / Warranty / Liability / Guarantee: The products are delivered with the characteristics to be expected under normal use. Any defects must be reported within three working days after delivery. If the purchaser is an entrepreneur, they are obliged to inspect the delivered goods, at least on a random basis. The reversal of the burden of proof pursuant to § 924 ABGB is excluded. We shall not be liable for slight or gross negligence, except in cases of personal injury. The injured party must prove the existence of fault. Compensation for consequential damages (including defect-related damages), other material damages, financial losses, and damages claimed by third parties against the customer is excluded. We shall not be liable for services provided or sourced by third parties. We must be given the opportunity to inspect the defect on site. Any modification to the complained goods without our written consent shall result in the loss of warranty claims. Minor deviations, particularly with regard to surface characteristics and color tones, are permissible within customary trade and industry tolerances and do not constitute defects. The seller shall be held harmless in this respect. Warranty claims shall, at our discretion, be limited to repair or replacement of the defective goods. Claims for rescission (cancellation) or price reduction are excluded. § 933a ABGB (damages in lieu of warranty) and § 933b ABGB (recourse) are explicitly excluded. Any guarantee must be claimed against the guarantor and shall be subject to their respective guarantee terms.

7. Product-Specific Information: The goods must be inspected for obvious defects prior to and at the start of installation. Installation must be stopped immediately if any defects are identified, and we must be informed without delay. If obviously defective goods are installed, the defect shall be deemed accepted. It is expressly stated that defects resulting from improper installation, incorrect storage of the goods, or failure to comply with the manufacturer's installation guidelines or care instructions shall not be recognized by us. We therefore recommend requesting any missing installation instructions from the manufacturer prior to commencing installation. As our floors are made from high-quality wood species and are therefore natural products, the manufacturer's care instructions—particularly with regard to room temperature and indoor humidity—must be strictly observed.

8. Payment: Unless otherwise agreed, invoices are payable within 30 days from the invoice date or delivery, without deduction. Payment shall only be deemed received when the full invoice amount is at our disposal. For first-time transactions, we reserve the right to require advance payment. We are not obliged to accept bills of exchange or checks. Bills of exchange shall only be accepted subject to discountability. Checks and bills of exchange shall only be credited after they have been honored; assignment of claims shall only be credited after payment has been received. If the purchaser defaults on partial payments, the entire outstanding amount shall become immediately due. The same applies in the event of protest of a bill of exchange, regardless of the original maturity date. Collection and discount charges, as well as bill of exchange fees, shall be borne by the purchaser. The retention of payments due to warranty claims or other counterclaims not acknowledged by the supplier is excluded. Set-off of counterclaims is excluded. In the event of late payment, default interest at the statutory rate shall be payable without the need for a formal notice of default. For entrepreneurs, statutory default interest for commercial transactions shall apply (currently 9.2 percentage points above the base interest rate). In the event of payment difficulties on the part of the purchaser, in particular in the case of default, all our claims—including deferred claims—shall become immediately due. In addition to statutory interest, the seller shall be entitled to claim compensation for other damages caused by the debtor, including necessary costs for appropriate extrajudicial collection or enforcement measures, provided these are proportionate to the claim.

9. Retention of Title and Assignment of Claims: All delivered goods shall remain our property until full payment has been received. Ownership shall only pass to the purchaser once all payment obligations arising from the business relationship between the purchaser and us have been fulfilled. Processing or transformation of the goods shall be carried out on our behalf without acquisition of ownership pursuant to the provisions of the Austrian Civil Code (ABGB). The processed goods shall serve as security for us in the amount of the invoice value of the retained goods. The purchaser may only resell our goods in the ordinary course of business under normal business conditions and only as long as they are not in default. The purchaser is only entitled to resell the retained goods on the condition that the claims arising from such resale are assigned to us in accordance with the following provisions. The purchaser is not entitled to dispose of the retained goods in any other way. The purchaser hereby assigns to us all claims arising from the resale of the retained goods, regardless of whether the goods are resold before or after processing and whether to one or multiple buyers. The purchaser shall be entitled to collect such claims until revoked by us at any time. However, the purchaser is not entitled to assign such claims. The purchaser is obliged to notify their customer of the assignment. We must be notified immediately in writing of any seizure or other impairment of the retained goods.

10. Returns: Ordered and delivered goods shall only be taken back within two months, subject to approval by management, and upon payment of a cancellation fee of 25%, plus any associated costs. The goods must be returned undamaged, in complete packaging units, carriage paid to the place of performance. Returns of custom-made products and exotic wood species are excluded.

11. Erfüllungsort / Gerichtsstand: Erfüllungsort für Lieferungen und Zahlungen ist Salzburg. Als Gerichtsstand wird die Zuständigkeit des für den Sitz des Unternehmens der HAFRO Edle Holzboden GmbH örtlich und sachlich zuständigen Gericht der Landeshauptstadt Salzburg vereinbart. Es gilt ausschließlich österreichisches Recht. Das UN-Kaufrecht, sowie sämtliche Bestimmungen, die sich auf das UN-Kaufrecht beziehen, werden ausdrücklich ausgeschlossen.

12. Miscellaneous: Recourse claims within the meaning of the Product Liability Act are excluded, unless the party entitled to recourse proves that the defect originated within our sphere and was caused at least by gross negligence. The customer acknowledges and expressly agrees that goods may (in part) be delivered directly from the manufacturer or upstream supplier to the customer (drop shipment). In the case of such drop shipments, we shall not be liable for any fault or negligence of the direct service provider, and such provider shall not be deemed our vicarious agent. Our warranty and damage claims against the direct service provider (manufacturer/supplier) are hereby assigned to the purchaser, so that the purchaser is entitled to assert such claims directly against the manufacturer/supplier. This assignment shall apply provided that no prohibition of assignment by the upstream supplier exists.

13. Final Provisions: Should any provision of these General Terms and Conditions be or become wholly or partially invalid due to statutory provisions, the validity of the remaining provisions shall remain unaffected. The invalid provision shall be replaced by a provision that comes as close as possible to the legal and economic intent of the invalid provision. The invalidity of individual provisions shall not affect the validity of the remaining provisions. The above provisions shall apply to consumers only to the extent that they do not conflict with mandatory consumer protection laws.

Prices subject to change. Misprints, price changes, and errors excepted.

**FLOORS
INDIVIDUAL
LIKE YOU.**

hafro.com

HAFRO EDLE HOLZBÖDEN GMBH

ANNABERG 246 | A-5524 ANNABERG-LUNGÖTZ
TEL. +43 (0) 6463 73271 | OFFICE@HAFRO.COM